

## Safety Data Sheet

### 4 Minute Clear Epoxy Part A/ Part B

#### Section 1. Identification

Product Identifier 4 Minute Clear Epoxy Part A (resin)

Synonyms 49406

Manufacturer Stock Numbers 143416

Recommended use Refer to Technical Information

Uses advised against Refer to Technical Information

#### Supplier Contact

Address Engineering Adhesives & Lubricants (Aust) Pty Ltd  
3/119 Olympic Circuit  
Southport QLD 4215

Phone  
(07) 5531-4242

Emergency Phone  
13 1126  
Poisons Information  
Centre

Fax  
(07) 5531-4243

#### Section 2. Hazards Identification

Classification SENSITIZATION - SKIN - Category 1  
SERIOUS EYE DAMAGE /EYE IRRITATION - Category 2A  
SKIN CORROSION/IRRITATION - Category 2

Signal Word Warning

Pictogram



Hazard Statements Causes serious eye irritation  
Causes skin irritation  
May cause an allergic skin reaction

Precautionary Statements

## Response

If eye irritation persists: Get medical advice/attention.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If on skin: Wash with plenty of soap and water  
If skin irritation occurs: Get medical advice/attention.  
If skin irritation or rash occurs: Get medical advice/attention.  
Read label before use.  
Take off contaminated clothing and wash it before reuse.  
Wash contaminated clothing before reuse.

## Prevention

Avoid breathing dust/fume/gas/mist/ vapors/spray.  
Contaminated work clothing must not be allowed out of the workplace.  
Wash thoroughly after handling.  
Wear eye protection/face protection.  
Wear protective gloves.

## Storage

N/A

## Disposal

Dispose of contents/containers in accordance with local regulations.

Ingredients of unknown toxicity 0%

Hazards not Otherwise Classified

Additional Information No information available

## Section 3. Ingredients

CAS	Ingredient Name	Weight %
25085-99-8	Oxirane,2,2',1 methyl ethylidene bis 4,1 B	25% - 50%
68477-30-5	Distillates (petroleum), catalytic reformer fractionator residue, intermediate-boiling	1% - 3%
1333-86-4	Carbon Black	0.1% - 0.3%

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First-Aid Measures

### First Aid Measures

General advice  
Get medical advice/attention if you feel unwell.

Eye contact  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact  
IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical

advice/attention.

Inhalation

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Symptoms: No information available.

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed  
Note to physicians: Treat symptomatically.

## Section 5. Fire Fighting Measures

Suitable Extinguishing Media

Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

Unsuitable Extinguishing Media

Strong water jet

Specific hazards arising from the chemical

Burning produces heavy smoke. Fire may produce irritating and/or toxic gases. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by skin contact.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit. Cool containers with flooding quantities of water until well after fire is out. Do not allow run-off from fire-fighting to enter drains or water courses.

## Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid breathing vapors or mists. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Dispose of waste product or used containers according to local regulations. Clean with detergents. Avoid solvent cleaners. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. Take up mechanically, placing in appropriate containers for disposal.

## Section 7. Handling and Storage

### Precautions for safe handling

#### Advice on safe handling

Use personal protection recommended in Section 8. Never use pressure to empty container. Comply with the health and safety at work laws. Prevent product from entering drains. Use only with adequate ventilation. Do not breathe dust/fume/gas/mist/vapors/spray.

#### General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing.

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorized personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed in a dry and well-ventilated place.

#### Incompatible materials

Strong oxidizing agents. Strong acids. Acids. Aluminum

## Section 8. Exposure Controls/Personal Protection

### Occupational Exposure Limits

Ingredient Name	ACGIH TLV	OSHA PEL	STEL
Oxirane,2,2',1 methyl ethylidene bis 4,1 B	N/A	N/A	N/A
Distillates (petroleum), catalytic reformer fractionator residue, intermediate-boiling	N/A	N/A	N/A
Carbon Black	TWA: 3 mg/m <sup>3</sup> inhalable fraction	TWA: 3.5 mg/m <sup>3</sup>	N/A

### Personal Protective Equipment

Goggles, Gloves

### Engineering Controls

Ensure adequate ventilation, especially in confined areas. Provide local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tight sealing safety goggles.

#### Skin and body protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear suitable protective clothing.

#### Hand Protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance. Wear protective gloves.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Thermal Protection

No information available

## Section 9. Physical and Chemical Properties

Physical State	Paste/Gel
Color	Grey
Odor	Slight
Odor Threshold	No information available
Solubility	No information available
Partition coefficient Water/n-octanol	No information available
VOC%	Nil
Viscosity	No information available
Specific Gravity	1.87
Density lbs/Gal	15.58
Pounds per Cubic Foot	N/A
Flash Point	94C 201F
FP Method	N/A
pH	No information available
Melting Point	No information available

Boiling Point	No information available
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	No information available
Flammability	No information available
Decomposition Temperature	No information available
Auto-ignition Temperature	No information available
Vapor Pressure	No information available
Vapor Density	No information available

Note The above information is not intended for use in preparing product specifications.

## Section 10. Stability and Reactivity

Reactivity	No information available
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	None under normal processing.
Conditions to avoid	Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	Strong oxidizing agents. Strong acids. Acids. Aluminum.
Hazardous Decomposition Products	Carbon monoxide. Carbon dioxide (CO2).

## Section 11. Toxicological Information

Information on likely routes of exposure	Eye contact Causes serious eye irritation
--	--

Skin Contact  
Causes skin irritation  
May cause an allergic skin reaction

Ingestion  
Not applicable

Inhalation  
Not applicable

Carbon black (1333-86-4)  
Oral LD50: >15400 mg/kg (Rat)  
Dermal LD50: >3 g/kg (Rabbit)

Unknown Acute Toxicity  
0% of the mixture consists of ingredient(s) of unknown toxicity.

Skin corrosion/irritation  
Causes skin irritation

Serious eye damage/eye irritation  
Causes serious eye irritation

Skin sensitization  
May cause an allergic skin reaction

Respiratory sensitization  
Not applicable

Germ cell mutagenicity  
Not applicable

Carcinogenicity  
Not applicable

Reproductive Toxicity  
Not applicable

Specific target organ toxicity (single exposure)  
Not applicable

Specific target organ toxicity (repeated exposure)  
Not applicable

Aspiration hazard  
Not applicable

According to IARC, Volume 93, no significant exposure to primary particles of carbon black is thought to occur from use in paints since the pigment is bound to other materials.

ACGIH: A3 - Animal carcinogen

IARC: Group 2B - Possibility carcinogenic to humans

OSHA: X - Present

Numerical measures of toxicity - Component Information

Numerical measures of toxicity - Product Information

Delayed and immediate effects as well as chronic effects from short and long-term

Carcinogenicity

## Section 12. Ecological Information

Ecotoxicity	Environmental precautions Prevent product from entering drains.
	Marine pollutant This material meets the definition of a marine pollutant
Persistence and degradation	No information available.
Bioaccumulation	No information available.
Mobility	No information available.
Other adverse effects	No information available

## Section 13. Disposal

Waste treatment methods	Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.
	Contaminated packaging Improper disposal or reuse of this container may be dangerous and illegal. Empty containers must be scrapped or reconditioned.

## Section 14. Transport Information

UN Number	3082
UN Proper Shipping Name	Environmentally hazardous substances, liquid, n.o.s Epoxy Resin
Limited Quantity	ADG 7 specifies a Limited Quantity value of 5 kg for this class of product.
ADG Classification	Hazard Class: 9
Packing Group	III
Other hazard information	Environmental hazard Yes Marine pollutant This material meets the definition of a marine pollutant
Special Provisions	Marine pollutant Epoxy resin 8, 146, 173, 335, IB3, T4, TP1, TP29  Emergency Response Guide Number 171
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

## Section 15. Regulatory Information



## Section 16. Other Information

### Revision Date

10/04/2019

### Disclaimer

The data contained herein is based upon information that Engineering Adhesives & Lubricants (Aust) Pty Ltd believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.

## Safety Data Sheet

### 4 Minute Clear Epoxy Part A/ Part B

#### Section 1. Identification

Product Identifier 4 Minute Clear Epoxy Part B (hardener)

Synonyms 49406

Manufacturer Stock Numbers 143416

Recommended use Refer to Technical Information

Uses advised against Refer to Technical Information

Supplier Contact

Address

Engineering Adhesives & Lubricants (Aust) Pty Ltd  
3/119 Olympic Circuit  
Southport QLD 4215

Phone

(07) 5531-4242

Emergency Phone

13 1126

Fax

(07) 5531-4243

Poisons Information

Centre

#### Section 2. Hazards Identification

Classification

ACUTE TOXICITY - ORAL - Category 4  
HAZARDOUS TO THE AQUATIC ENVIRONMENT - LONG-TERM HAZARD -  
Category 3  
SENSITIZATION - SKIN - Category 1B  
SERIOUS EYE DAMAGE /EYE IRRITATION - Category 2A  
SKIN CORROSION/IRRITATION - Category 2

Signal Word

Warning

Pictogram



Hazard Statements

Causes serious eye irritation  
Causes skin irritation

Harmful if swallowed  
 Harmful to aquatic life with long lasting effects  
 May cause an allergic skin reaction

**Precautionary Statements**

**Response**

If eye irritation persists: Get medical advice/attention.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If on skin: Wash with plenty of water.  
 If skin irritation occurs: Get medical advice/attention.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 If swallowed: Call a poison center/doctor if you feel unwell.  
 Rinse mouth.  
 Take off contaminated clothing and wash it before reuse.  
 Wash contaminated clothing before reuse.

**Prevention**

Avoid breathing mist/vapors.  
 Avoid release to the environment  
 Contaminated work clothing must not be allowed out of the workplace.  
 Do not eat, drink or smoke when using this product.  
 Wash thoroughly after handling.  
 Wear eye protection/face protection.  
 Wear protective gloves.

**Storage**

N/A

**Disposal**

Dispose of contents/container in accordance with local/regional/national /international regulations.

Ingredients of unknown toxicity

0%

Hazards not Otherwise Classified

Supplemental information

94% of the mixture consists of component(s) of unknown acute oral toxicity.  
 100% of the mixture consists of component(s) of unknown acute dermal toxicity.  
 100% of the mixture consists of component(s) of unknown acute inhalation toxicity.  
 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.  
 16% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

**Section 3. Ingredients**

CAS	Ingredient Name	Weight %
72244-98-5	Rxn product of pentaerythritol, 72244-98-5 propoxylated & 1-chloro-2,3-epoxypropane with hydrogen sulfide IUPAC: Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-hydro-.omega.-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propane diol (4:1), 2-hydroxy-3-mercapt	84% - 94%

**Occupational exposure limits, if available, are listed in Section 8.**

## Section 4. First-Aid Measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin Contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

## Section 5. Fire Fighting Measures

Suitable Extinguishing Media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
Unsuitable Extinguishing Media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

## Section 6. Accidental Release Measures

Personal precautions,	Keep unnecessary personnel away. Keep people away from and upwind of
-----------------------	--

protective equipment and emergency procedures

spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## Section 7. Handling and Storage

Precautions for safe handling

Do not taste or swallow. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

Ingredient Name	ACGIH	OSHA	STEL
	TLV	PEL	
Rxn product of pentaerythritol, 72244-98-5 propoxylated & 1-chloro-2,3-epoxypropane with hydrogen sulfide IUPAC: Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-hydro-.omega.-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propane diol (4:1), 2-hydroxy-3-mercapt	N/A	N/A	N/A
2,4,6-Tri(dimethylaminomethyl) phenol	N/A	N/A	N/A

Personal Protective Equipment

Goggles, Gloves, Apron, Face Shield

Occupational exposure limits

This mixture has no ingredients that have PEL, TLV, or other recommended Occupational exposure limits exposure limit.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection

Face shield is recommended. Wear safety glasses with side shields (or goggles).

Hand protection

Wear appropriate chemical resistant gloves.

Skin protection

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Clear colorless pale yellow
Odor	Mercaptan-like
Odor Threshold	Not available
Solubility	Insoluble
Partition coefficient Water/n-octanol	Not available
VOC%	N/A
Viscosity	Not available
Specific Gravity	1.13
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	>199.9F >93.3C
FP Method	PMCC
pH	Not available
Melting Point	Not available
Boiling Point	Not available

Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	Not available
Flammability	Not applicable
Decomposition Temperature	Not available
Auto-ignition Temperature	Not available
Vapor Pressure	0.000002 hPa estimated
Vapor Density	Not available

**Note**                      The above information is not intended for use in preparing product specifications.

## **Section 10. Stability and Reactivity**

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	No hazardous decomposition products are known.

## **Section 11. Toxicological Information**

Information on likely routes of exposure	<p>Inhalation No adverse effects due to inhalation are expected.</p> <p>Skin contact Causes skin irritation. May cause an allergic skin reaction.</p> <p>Eye contact Causes serious eye irritation.</p> <p>Ingestion Harmful if swallowed.</p>
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Information on toxicological effects	Acute toxicity Harmful if swallowed.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

Not classified.

Specific target organ toxicity - repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

## Section 12. Ecological Information

### Ecotoxicity

Harmful to aquatic life with long lasting effects.

1,3,5-Trimethylbenzene (CAS 108-67-8)

Aquatic - Fish

LC50 Goldfish (*Carassius auratus*) 9.89 - 15.05 mg/l, 96 hours

Ethylbenzene (CAS 100-41-4)

Aquatic - Crustacea

EC50 Water flea (*Daphnia magna*) 1.37 - 4.4 mg/l, 48 hours

Aquatic- Fish



LC50 Fathead minnow (*Pimephales promelas*) 7.5 - 11 mg/l, 96 hours

Titanium Dioxide (CAS 13463-67-7)

Aquatic - Crustacea

EC50 Water flea (*Daphnia magna*) > 1000 mg/l, 48 hours

Aquatic - Fish

LC50 Mummichog (*Fundulus heteroclitus*) > 1000 mg/l, 96 hours

Trimethyl Benzene Regulatory (CAS 95-63-6)

Aquatic - Fish

LC50 Fathead minnow (*Pimephales promelas*) 7.19 - 8.28 mg/l, 96 hours

Xylene (CAS 1330-20-7)

Aquatic - Fish

LC50 Bluegill (*Lepomis macrochirus*) 7.711 - 9.591 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

No data is available on the degradability of any ingredients in the mixture.

Persistence and degradability

Bioaccumulative potential No data available

Mobility in soil No data available

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## Section 13. Disposal

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national /international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	Not regulated as dangerous goods.
ADG Classification	Not regulated as dangerous goods.
Packing Group	Not regulated as dangerous goods.

IATA

UN number: UN3334

UN proper shipping name: Aviation regulated liquid, n.o.s. (Mercaptan-terminated polymer)

Transport hazard class(es)

Class: 9

Subsidiary risk: -

Packing group: III

Environmental hazards: No.

ERG Code: 9A

Special precautions for user: Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo aircraft: Allowed with restrictions

Cargo aircraft only: Allowed with restrictions

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the

Not established

## Section 15. Regulatory Information

AICS

All of the significant ingredients in this formulation are compliant with NICNAS regulations.

## Section 16. Other Information

Revision Date

10/04/2019

Disclaimer

The data contained herein is based upon information that Engineering Adhesives & Lubricants (Aust) Pty Ltd believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.