



Safety Data Sheet

according to WHS Regulations

Printing date 07.05.2021

Version number 20

Revision: 07.05.2021

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Specialty Products

- Article number: VT202

- Relevant identified uses of the substance or mixture and uses advised against

- No further relevant information available.
 - Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
 - *Product category* PC1 Adhesives, sealants
 - Process category PROC10 Roller application or brushing
 - Environmental release category ERC5 Use at industrial site leading to inclusion into/onto article
 - Article category AC0 Other
 - Technical function Other
- Application of the substance / the mixture Assembly adhesive

- Details of the supplier of the safety data sheet

- *Manufacturer:* ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com Supplier:

Engineering Adhesives & Lubricants (Aust) Pty Ltd Unit 3, 119 Olympic Circuit Southport, QLD 4215 Australia Telephone: +61-7-55314242 Email: info@eal.com.au Website: www.eal.com.au

- Further information obtainable from: Product Safety Department

- *Emergency telephone number:* United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) Identification

- Classification of the substance or mixture

GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

- Label elements

• GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). • Hazard pictograms



- Signal word Danger
- Hazard-determining components of labelling: isopropanol
- Hazard statements
- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

- Precautionary statements
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 Keep container tightly closed.
- P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

Printing date 07.05.2021

Version number 20

Revision: 07.05.2021

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 1) P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. - **Other hazards**

Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- vPvB: Not applicable.

3 Composition and Information on Ingredients

- Chemical characterisation: Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.

- Dangerous components:				
CAS: 1332-58-7	Kaolin		20 – 29%	
CAS: 616-38-6	dimethyl carbonate	Flam. Liq. 2, H225	20 – 29%	
CAS: 67-63-0	isopropanol	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	20 – 29%	
- Additional information: For the wording of the listed hazard phrases refer to section 16.				

4 First Aid Measures

- Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

5 Fire Fighting Measures

- Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters

- Protective equipment:

- Wear self-contained respiratory protective device.
- Wear fully protective suit.

6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures
 - Wear protective equipment. Keep unprotected persons away.
- Ensure adequate ventilation
- Wear protective clothing.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

Dispose of the material collected according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Version number 20

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 2)

Revision: 07.05.2021

- Conditions for safe storage, including any incompatibilities

- Storage:

Printing date 07.05.2021

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

- Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- Additional information about design of technical facilities: No further data; see item 7.

Control parameters

- Ingredients with limit values that require monitoring at the workplace:

CAS: 1332-58-7 Kaolin

WES Long-term value: 10 mg/m³

- CAS: 67-63-0 isopropanol
- WES Short-term value: 1230 mg/m³, 500 ppm

Long-term value: 983 mg/m³, 400 ppm

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes. Avoid contact with the eyes and skin.

Roopiratory protoction:

- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Body protection: Protective work clothing

9 Physical and Chemical Properties

Information on basic physical and - General Information	d chemical properties
- Appearance:	
- Form:	Liquid
- Colour:	Different according to colouring
- Odour:	Alcohol-like
 Odour threshold: 	Not determined.
- pH-value:	Not determined.
- Change in condition	
 Melting point/freezing poin 	t: Undetermined.
 Initial boiling point and boi 	iling range: ≥ 82 °C
- Flash point:	13 °C
- Flammability (solid, gas):	Not applicable.
- Ignition temperature:	425 °C

Printing date 07.05.2021

Version number 20

Revision: 07.05.2021

Trade name: Vibra-TITE® Specialty Products

	(Contd. of
- Decomposition	n temperature: Not determined.
- Auto-ignition tem	perature: Product is not selfigniting.
- Explosive propert	<i>ties:</i> Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- Explosion limits:	
- Lower:	2 Vol %
- Upper:	12 Vol %
- Vapour pressure	at 20 °C: ≤ 56 hPa
 Density at 20 °C: 	~ 1.32491 g/cm ³
 Relative densi 	
 Vapour densit 	
- Evaporation ra	ate Not determined.
- Solubility in / Mise	•
- water:	Not miscible or difficult to mix.
- Partition coefficie	nt: n-octanol/water: Not determined.
- Viscosity:	
- Dynamic:	Not determined.
- Kinematic:	Not determined.
- Solvent content:	
- Organic solve	
- VOC (EC)	43.24 %
- Solids content	t: 27.3 %
Other information	No further relevant information available.
Stability and React	ivity
	levant information available.
Possibility of hazard Conditions to avoid N ncompatible materia	 bosition / conditions to be avoided: No decomposition if used according to specifications. bous reactions No dangerous reactions known. No further relevant information available. Is: No further relevant information available. sition products: No dangerous decomposition products known.
Thermal decompo Possibility of hazard Conditions to avoid N ncompatible materia lazardous decompo	Dus reactions No dangerous reactions known. No further relevant information available. Ins: No further relevant information available. Insition products: No dangerous decomposition products known.
Thermal decompo Possibility of hazardo Conditions to avoid ۱ ncompatible materia	Dus reactions No dangerous reactions known. No further relevant information available. Is: No further relevant information available. sition products: No dangerous decomposition products known. mation
- Thermal decompo Possibility of hazardo Conditions to avoid N ncompatible materia lazardous decompo Toxicological Inform formation on toxico - Acute toxicity	Dus reactions No dangerous reactions known. No further relevant information available. Is: No further relevant information available. sition products: No dangerous decomposition products known. mation
- Thermal decompo Possibility of hazardo Conditions to avoid N ncompatible materia lazardous decompo oxicological Inform oxicological Inform formation on toxico - Acute toxicity - LD/LC50 value AS: 616-38-6 dimethyl	Dus reactions No dangerous reactions known. No further relevant information available. Is: No further relevant information available. sition products: No dangerous decomposition products known. mation blogical effects es relevant for classification: carbonate
Thermal decompositions Thermal decompositions to avoid Nacompatible material dazardous decompositions foxicological Information on toxico Acute toxicity - LD/LC50 value CAS: 616-38-6 dimethyl Dral LD50 13,0	Dus reactions No dangerous reactions known. No further relevant information available. Is: No further relevant information available. Isition products: No dangerous decomposition products known. mation Dological effects Ps relevant for classification:

CAS: 67-63-0 isopropanol Oral LD50 5,045 mg/kg (rat)

- Dermal LD50 12,800 mg/kg (rabbit)
- Inhalative LC50/4 h 30 mg/l (rat)

- Primary irritant effect:

- Skin corrosion/irritation No irritant effect.
- Serious eye damage/irritation Irritating effect.
- Respiratory or skin sensitisation No sensitising effects known.

- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological Information

- Toxicity

- Aquatic toxicity: No further relevant information available.

Printing date 07.05.2021 Revision: 07.05.2021 Version number 20 Trade name: Vibra-TITE® Specialty Products (Contd. of page 4) - Persistence and degradability No further relevant information available. - Behaviour in environmental systems: - Bioaccumulative potential No further relevant information available. - Mobility in soil No further relevant information available. - Additional ecological information: General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. - Results of PBT and vPvB assessment - PBT: Not applicable. - vPvB: Not applicable. - Other adverse effects No further relevant information available. 13 Disposal considerations - Waste treatment methods - Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. - Uncleaned packaging: - Recommendation: Disposal must be made according to official regulations. 14 Transport information - UN-Number - ADG, IMDG, IATA UN1139 - UN proper shipping name - ADG UN1139 COATING SOLUTION - IMDG, IATA COATING SOLUTION - Transport hazard class(es) - ADG, IMDG, IATA Class 3 Flammable liquids. - Label 3 - Packing group - ADG, IMDG, IATA Ш - Environmental hazards: Not applicable. - Special precautions for user Warning: Flammable liquids. - Hazard identification number (Kemler code): 33 F-E,<u>S-E</u> - EMS Number: - Stowage Category в - Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. - Transport/Additional information: - ADG Limited quantities (LQ) 1L - Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml - Transport category 2 - Tunnel restriction code D/E - IMDG - Limited quantities (LQ) 1L - Excepted quantities (EQ) Code: F2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml - UN "Model Regulation":

UN 1139 COATING SOLUTION, 3, II

Version number 20

Printing date 07.05.2021

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 6)

Revision: 07.05.2021

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Industrial Chemicals

CAS: 1332-58-7 Kaolin CAS: 616-38-6 dimethyl carbonate

CAS: 67-63-0 isopropanol

CAS: 67762-90-7 Amorphous Silica

CAS: 7128-64-5 2,5-thiophenediylbis(5-tert-butyl-1,3-benzoxazole)

Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

- Directive 2012/18/EU

- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

- Department issuing SDS: ND Industries, Inc. - Safety, Health and Environmental Affaires

- Contact: Safety, Health and Environmental Affaires

Classification System:

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) INDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: verv Persistent and verv Bioaccumulative
- Flam. Liq. 2: Flammable liquids Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3

Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.